THE UNIVERD STAYLES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

MACCERS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITIORY AS PROVIDED BY LAW, THE HT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR ATTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE URPOSE; OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ANY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'90B93'.

In Testimonn Therest, I have hereunto set my hand and caused the seal of the Plant Invierty Protection Office to be affixed at the City of Washington, D.C. this twenty-seventh day of October; in the year of our Lord two thousand.

DAAHO2

Acting Commissioner Plant Variety Protection Office Agricultural Marketing Service Pai Milinen

Agriculture

Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 90B93

Variety 90B93 evolved from a 1994 cross of 9132/5/9244/4/ST2250/3/9392//9392/40-3-2.

It is an F4-derived variety which was advanced to the F4 generation by modified single seed descent. The F5 progeny row of 90B93 was grown in summer 1996. Subsequently, 90B93 has undergone 2 years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of agronomic performance, maturity and resistance to labeled Roundup Brand herbicides variety 90B93 was given a commercial number.

One acre of 90B93 (breeders seed) was grown in summer 1997. 101 acres of parent seedstock (foundation seed equivalent) were grown in the winter 1997-1998 and 2520 bushels harvested.

Exhibit B. Statement of Distinctness

Soybean Variety 90B93

Variety 90B93 is most similar to variety 9132. Both varieties have purple flowers, tawny pubescence, and yellow seeds with black hila. However, 90B93 is resistant to labeled Roundup Brand herbicides while 9132 is not.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SEED DIVISION - PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.) NAME OF APPLICANT(S) TEMPORARY DESIGNATION VARIETY NAME Pioneer Hi-Bred International, Inc. 90B93 ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code) FOR OFFICIAL USE ONLY 7300 N.W. 62nd Ave., P.O. Box 1004 <u>9900090</u> **PVPO NUMBER** Johnston, IA 50131-1004 Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero on the first box when number is 9 or less (e.g., 0 9). Starred characters * are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available. 1. SEED SHAPE: 2 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2) ★ 2. SEED COAT COLOR: (Mature Seed) 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other (Specify) 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17') 🖈 4. SEED SIZE: (Mature Seed) Grams per 100 seeds ★ 5. HILUM COLOR: (Mature Seed) 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other (Specify) ★ 6. COTYLEDON COLOR: (Mature Seed) 1 = Yellow **★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:** 1 = Low 2 = High★ 8. SEED PROTEIN ELECTROPHORETIC BAND: 1 = Type A (SP1 a) 2 = Type B (SP1 b) ★ 9. HYPOCOTYL COLOR: 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy') 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A') * 10. LEAFLET SHAPE: 1 = Lanceolate

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

3 = Ovate

4 = Other (Specify)

2 = Oval

Page 1 of 4

	11. LEAFLET SIZE:	
	2 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')	
	3 = Large ('Crawford'; 'Tracy')	
	12. LEAF COLOR:	
	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
*	13. FLOWER COLOR:	
	2 1 = White 2 = Purple 3 = White with purple throat	
*		
	Z - BIOWII 5 - BIOCK	
*	15. PLANT PUBESCENCE COLOR:	
	2 1 = Gray 2 = Brown (Tawny)	
	16. PLANT TYPES:	
	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
*	17. PLANT HABIT:	***************************************
	3 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')	
	3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
*		
`.	18. MATURITY GROUP:	
L	1-000 2-00 3-0 4=1 5=11 6=111 /=1	$8 = \mathbf{V}$
	9 = VI $10 = VII$ $11 = VIII$ $12 = IX$ $13 = X$	
*	19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
	BACTERIAL DISEASES:	
	★ 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
	★ 1 Bacterial Blight (Pseudomonas glycinea)	
	★ 0 Wildfire (Pseudomonas tabaci)	
	FUNGAL DISEASES:	•
	★ 1 Brown Spot (Septoria glycines)	
	Frogeye Leaf Spot (Cercospora sojina)	
	★ 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5	Other (Specify)
	Target Spot (Corynespora cassiicola)	
	bowny windew (r eronospora unonorum var. manshurica)	
	Powdery Mildew (Microsphaera diffusa)	
	★ 0 Brown Stem Rot (Cephalosporium gregatum)	
	O Stem Canker (Diaporthe phaseolorum var. caulivora)	

FORM LMGS-470-57 (6-83)

19. DISEASES REACTION: (Enter 0 = Not Tested; 1 = Susceptil	ole; 2 = Resistant) (Continued)						
FUNGAL DISEASES: (Co	entinued)							
★ 1 Pod and Stem Blight	(Diaporthe phaseolorum var; sojae)							
Purple Seed Stain	Cercospora kikuchii)							
Rhizoctonia Root Rot	(Rhizoctonia solani)							
Phytophthora Rot (Phytophthora megasperma var. sojae)								
★ 2 Race 1 0 Rac	e 2 2 Race 3 0 Race 4	1 Race 5 0 Race 6	2 Race 7					
0 Race 8 0 Rac	e 9 Other (Specify)							
VIRAL DISEASES:	<u>—</u>	•						
1 Bud Blight (Tobacco	Ringspot Virus)							
1 Yellow Mosaic (Bean	Yellow Mosaic Virus)							
★ 1 Cowpea Mosaic (Cow	pea Chlorotic Virus)							
Pod Mottle (Bean Pod	Mottle Virus)							
★ 1 Seed Mottle (Soybean	Mosaic Virus)							
NEMATODE DISEASES:								
Soybean Cyst Nemato	de (Heterodera glycines)							
★ 0 Race 1 0 Race	2 1 Race 3 0 Race 4	Other (Specify)						
0 Lance Nematode (Hop	ololaimus Colombus)							
★ 0 Southern Root Knot N	ematode <i>(Meloidogyne incognita)</i>							
★ 0 Northern Root Knot N	ematode <i>(Meloidogyne Hapla)</i>							
Peanut Root Knot Nen	natode (Meloidogyne arenaria)							
0 Reniform Nematode (Rotylenchulus reniformis)							
OTHER DISEASE NOT	ON FORM (Specify)							
20. PHYSIOLOGICAL RESPON	SES: (ENTER 0 = Not tested, 1 = S	usceptible, 2 = Resistant)						
★ 0 Iron Chlorosis on Calc								
2 Other (Specify) Me	trìbuzin							
21. INSECT REACTION: (ENTE	ER 0 = Not tested, 1 = Susceptible, 2	2 = Resistant)	***************************************					
0 Mexican Bean Beetle	Epilachna Varivestis)							
	[O]							
Potato Leaf Hopper (Er	mpoasca fabae)							
Other (Specify)								
22. INDICATE WHICH VARIETY	MOST CLOSELY RESEMBLES TH	AT SUBMITTED.						
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY					
Plant Shape	9092	Seed Coat Luster	9042					
Leaf Shape	9132	Seed Size	9071					
Leaf Color	91B01	Seed shape	9061					
Leaf Size	9132	Seedling Pigmentation	9071					

Variety Name 90B93

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEED	SEEDS POD
Submitted 90B93	128	1.7	83.8					15.6	3
Name of Similar Variety 9071	125	2.2	79.5					15.1	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop. Sci., 13: 420-421
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1:1-19




Exhibit D. Additional Description of the Variety

Soybean Variety 90B93

In Exhibit C we have identified variety 90B93 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 90B93 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 90B93 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition.

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

SD-470-E

(07-97)

(Destroy previous editions)

Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.